



## MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### ATF II D

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product identifier

Product name                      ATF II D  
Number  
Pure substance/mixture        Mixture

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses                      Transmission fluid.

##### 1.3. Details of the supplier of the safety data sheet

Supplier                              TECHNOIL LLC  
   A. Racabli 33, Door 4 (Esra plaza)  
   Azerbaijan, Baku  
   Tel: +99412 404 40 44  
   E-mail Address: info@technol.az

#### 2. HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

*For the full text of the H-Statements mentioned in this Section, see Section 2.2.*

##### **Classification\*\*\***

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008\*\*\*

DIRECTIVE 67/548/EEC or 1999/45/EC

*For the full text of the R-phrases mentioned in this Section, see Section 16*

## ATF II D

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

### Symbol(s)

Not classified

## 2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008\*\*\*

Hazard Statements \*\*\*

none\*\*\*

Precautionary

Statements none\*\*\*

Supplemental Hazard Statements

EUH210 - Safety data sheet available on request\*\*\*

Contains Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates May produce an allergic reaction\*\*\*

R-phrases(s)

none

S-phrases(s)

none

## 2.3. Other hazards

Physical-Chemical Properties

Contaminated surfaces will be extremely slippery.

Environmental properties

Should not be released into the environment.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture

Hazardous ingredients

\*\*\*

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Distillates (petroleum), hydrotreated light paraffinic***	265-158-7	01-2119487077-29	64742-55-8	1 - 70	-	Asp. Tox. 1 (H304)
Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates***	417-450-2	01-0000016426-70	^	0 - 0.999	Xi; R36/38 R43 R52-53	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 3 (H412)

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

## ATF II D

For the full text of the R-phrases mentioned in this Section, see Section 16.  
For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified.
Skin contact	May produce an allergic reaction.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically.
--------------------	------------------------

### 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable Extinguishing Media	Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Combustion products include sulphur oxides ( SO <sub>2</sub> and SO <sub>3</sub> ) and Hydrogen sulphide H <sub>2</sub> S, Nitrogen oxides (NO <sub>x</sub> ), Phosphorous oxides.
----------------	---

## ATF II D

### **5.3. Advice for fire-fighters**

**Special protective equipment for fire-fighters**      Wear self-contained breathing apparatus and protective suit.

**Other information**      Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **6. ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**General Information**      Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

### **6.2. Environmental precautions**

**General Information**      Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### **6.3. Methods and materials for containment and cleaning up**

**Methods for cleaning up**      Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

### **6.4. Reference to other sections**

**Personal Protective Equipment**      See Section 8 for more detail.

**Waste treatment**      See section 13.

## **7. HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

**Advice on safe handling**      When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion**      Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.

## ATF II D

### Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

#### Materials to Avoid

Strong oxidizing agents.

### 7.3. Specific end uses

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

oil mist : 10mg/m<sup>3</sup>, for 15 minutes  
oil mist : 5mg/m<sup>3</sup>, for 8 hours

#### Legend

See section 16

#### DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8				5.4 mg/m <sup>3</sup> /8h (aerosol - inhalation)

#### DNEL Consumer

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8				1.2 mg/m <sup>3</sup> /24h (aerosol - inhalation)

### 8.2. Exposure controls

#### Occupational Exposure Controls

#### Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

## ATF II D

### Personal Protective Equipment

**General Information** If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

**Eye Protection** If splashes are likely to occur, wear: Safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

**Hand Protection** Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

### Environmental exposure controls

**General Information** The product should not be allowed to enter drains, water courses or the soil.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Color	red
Physical State @20°C	liquid
Odor	Characteristic

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH		Not applicable	
Boiling point/boiling range		Not applicable	
Flash point	> 170 °C		
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure		No information available	
Vapor density		No information available	
Density	875 kg/m <sup>3</sup>	@ 15 °C	
Water solubility		Insoluble	
Solubility in other solvents		No information available	
logPow		No information available***	
Autoignition temperature		No information available	
Viscosity, kinematic	7 mm <sup>2</sup> /s	@ 100 °C	

---

## ATF II D

---

Explosive properties	Not explosive
Oxidizing Properties	Not applicable
Possibility of hazardous reactions	Not applicable

### **9.2. Other information**

## **10. STABILITY AND REACTIVITY**

### **10.1. Reactivity**

General Information	No information available.
---------------------	---------------------------

### **10.2. Chemical stability**

Stability	Stable under recommended storage conditions.
-----------	--

### **10.3. Possibility of hazardous reactions**

Hazardous Reactions	None under normal processing.
---------------------	-------------------------------

### **10.4. Conditions to Avoid**

Conditions to Avoid	Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.
---------------------	---

### **10.5. Incompatible Materials**

Materials to Avoid	Strong oxidizing agents.
--------------------	--------------------------

### **10.6. Hazardous Decomposition Products**

Hazardous Decomposition Products	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot, Sulfur oxides, Phosphorous oxides, Nitrogen oxides (NOx). Hydrogen sulphide.
----------------------------------	---

## **11. TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

#### **Acute toxicity Local effects Product Information**

Skin contact	. May produce an allergic reaction.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

## ATF II D

**Ingestion** . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated light paraffinic***	LD50 > 5000 mg/kg bw (rat - OECD 420)	LD50 > 5000 mg/kg bw (rabbit - OECD 402)	LC50 (4h) > 5 mg/l (aerosol) (rat - OECD 403)
Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates***		LD50 > 2000 mg/kg (Rabbit)***	

### Sensitization

**Sensitization** Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic reaction.

### Specific effects

**Carcinogenicity** This product is not classified carcinogenic.

Chemical Name	European Union
Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8	-

**Mutagenicity** This product is not classified as mutagenic.

**Reproductive toxicity** This product does not present any known or suspected reproductive hazards.

### Repeated Dose Toxicity

**Subchronic toxicity** No information available.

### Target Organ Effects (STOT)

**Target Organ Effects (STOT)** No information available.

### Other information

**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Not classified.

### Acute aquatic toxicity - Product Information

No information available.

### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
---------------	-------------------	---	------------------	----------------------------



## ATF II D

Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8	EL50 (72h) > 100 mg/l (Pseudokirchneriella subcapitata - OCDE 201)	EL50 (48h) > 10000 mg/L (Daphnia magna - OCDE 202)	LL50 (96h) > 100 mg/L (Oncorhynchus mykiss - OCDE 203)	
Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates*** ^	EC50 (72h) 22 mg/l (Selenastrum capricornutum - EU Method C.1)***			

### Chronic aquatic toxicity - Product Information

No information available.

### Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated light paraffinic*** 64742-55-8		NOEL (21d) 10 mg/l (Daphnia magna - OCDE 211)	NOEL (14/28d) >1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	

### Effects on terrestrial organisms

No information available.

## **12.2. Persistence and degradability**

### **General Information**

No information available.

## **12.3. Bioaccumulative potential**

### **Product Information**

No information available.

### **logPow**

No information available\*\*\*

### **Component Information**

Chemical Name	log Pow
Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates*** - ^	6.6***

## **12.4. Mobility in soil**

### **Soil**

Given its physical and chemical characteristics, the product generally shows low soil mobility.

### **Air**

Loss by evaporation is limited.

### **Water**

Insoluble. The product spreads on the surface of the water.

## **12.5. Results of PBT and vPvB assessment**

## ATF II D

PBT and vPvB assessment No information available.

### **12.6. Other adverse effects**

General Information No information available.

## **13. DISPOSAL CONSIDERATIONS**

### **13.1. Waste treatment methods**

<b>Waste from Residues / Unused Products</b>	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EWC Waste Disposal No.</b>	The following Waste Codes are only suggestions: 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

## **14. TRANSPORT INFORMATION**

<b><u>ADR/RID</u></b>	Not regulated
<b><u>IMDG/IMO</u></b>	Not regulated
<b><u>ICAO/IATA</u></b>	Not regulated
<b><u>ADN</u></b>	Not regulated

## **15. REGULATORY INFORMATION**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **European Union**

#### **International Inventories**

<b>EINECS/ELINCS</b>	-
<b>TSCA</b>	-

## ATF II D

---

DSL	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-
NZIoC	-

### Legend

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances **TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances

List **ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical

Substances **AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

### **Further information**

#### **15.2. Chemical Safety Assessment**

Chemical Safety Assessment      No information available

#### **15.3. National regulatory information**

##### France

• Avoid exceeding occupational exposure limits (see section 8).

Occupational Illnesses      Applicable table(s) n° 36

<h3><b>16. OTHER INFORMATION</b></h3>
---------------------------------------

#### **Full text of R-phrases referred to under sections 2 and 3**

R43 - May cause sensitization by skin

contact R36/38 - Irritating to eyes and skin

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### **Full text of H-Statements referred to under sections 2 and 3**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

H304 - May be fatal if swallowed and enters airways\*\*\*

#### **Abbreviations, acronyms**

---

## ATF II D

\_88/379/EEC (Classification and Labelling):

Symbols:

Xn Harmful

R Phrases:

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

S Phrases:

S2 Keep out of reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin, wash immediately with plenty of WATER

EC label.

Contents:

2,4,6-tris(dimethylaminomethyl)phenol

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

---

### Legend Section 8

+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

---

**This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.**

**End of the safety data sheet**