



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

---

**TECHNOL LAPIS HVI 22**

Date of the previous version: 2016-10-26

**Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name	TECHNOL LAPIS HVI 22
Number	
Substance/mixture	Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified uses	Hydraulic oil.
-----------------	----------------

**1.3. Details of the supplier of the safety data sheet**

Supplier	TECHNOIL LLC A. Racabli33, Door 4 (Esra plaza) Azerbaijan, Baku Tel: +99412 404 40 44 E-mail Address: info@technol.az
----------	---

**Section 2: HAZARDS IDENTIFICATION**



## TECHNOL LAPIS HVI 22

### 2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008 \*\*\*

For the full text of the H-Statements mentioned in this Section, see Section 2.2. \*\*\*

#### Classification\*\*\*

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008\*\*\*

### 2.2. Label elements

Labelled according to REGULATION (EC) No 1272/2008\*\*\*

#### Signal Word

None\*\*\*

#### Hazard Statements \*\*\*

None\*\*\*

#### Supplemental Hazard Statements

EUH210 - Safety data sheet available on request\*\*\*

### 2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.\*\*\*

Environmental properties Should not be released into the environment.\*\*\*

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture\*\*\*

#### Hazardous components \*\*\*

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	GHS Classification
Alkyl phenol***	-	-	^	0.1-<0.25	Skin Irrit. 2 (H315) Aquatic Chronic 1 (H410)  Acute M factor = 1

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.\*\*\*

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

---

## TECHNOL LAPIS HVI 22

---

<b>General advice</b>	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
<b>Eye contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. Rinse immediately with plenty of water and seek medical advice. Keep eye wide open while rinsing.
<b>Skin contact</b>	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital. Wash off with soap and water.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

### **4.2. Most important symptoms and effects, both acute and delayed**

<b>Eye contact</b>	Not classified.
<b>Skin contact</b>	Not classified.
<b>Inhalation</b>	Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### **4.3. Indication of immediate medical attention and special treatment needed, if necessary**

<b>Notes to physician</b>	Treat symptomatically.
---------------------------	------------------------

<b>Section 5: FIRE-FIGHTING MEASURES</b>
--

#### **5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog.
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter and spread fire.

#### **5.2. Special hazards arising from the substance or mixture**

<b>Special hazard</b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
-----------------------	--

#### **5.3. Precautions for fire-fighters**

**Special protective equipment for fire-fighters** Wear self-contained breathing apparatus and protective suit. **fire-fighters**

## TECHNOL LAPIS HVI 22

**Other information** Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

#### **6.2. Environmental precautions**

**General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

#### **6.3. Methods and material for containment and cleaning up**

**Methods for cleaning up** Dam up. Contain spillage, and then collect with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### **6.4. Reference to other sections**

**Personal protective equipment** See Section 8 for more detail.

**Waste treatment** See section 13.

### Section 7: HANDLING AND STORAGE

#### **7.1. Precautions for safe handling**

**Advice on safe handling** When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion** Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

#### **7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions** Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the

## TECHNOL LAPIS HVI 22

	labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty).
<b>Incompatible materials</b>	Oxidizing agents. Strong acids.

### **7.3. Specific use(s)**

<b>Specific use(s)</b>	No information available.
------------------------	---------------------------

## **Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **8.1. Control parameters**

<b>Exposure limits</b>	Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m <sup>3</sup> , NIOSH (REL) TWA 5 mg/m <sup>3</sup> , STEL 10 mg/m <sup>3</sup> , ACGIH (TLV) TWA 5 mg/m <sup>3</sup> (highly refined)
<b>Legend</b>	See section 16

### **8.2. Exposure controls**

#### **Occupational Exposure Controls**

<b>Engineering measures</b>	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
<b>Personal protective equipment</b>	
<b>General Information</b>	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
<b>Respiratory protection</b>	None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
<b>Eye protection</b>	If splashes are likely to occur, wear: Safety glasses with side-shields.
<b>Skin and body protection</b>	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.
<b>Hand protection</b>	Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency.

## TECHNOL LAPIS HVI 22

### Environmental exposure controls

#### General Information

The product should not be allowed to enter drains, water courses or the soil.

### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### **9.1. Information on basic physical and chemical properties**

Appearance		Clear***	
Colour		yellow***	
Color code		2***	
Physical state @20°C		Liquid***	
Odour		characteristic***	
Odour Threshold		No information available	
<b>Property</b>	<b>Values</b>	<b>Remarks</b>	<b>Method</b>
pH		Not applicable	
Melting point/range		Not applicable	
Boiling point/boiling range		No information available	
Flash point ***	>230 °C		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapour pressure		No information available	
Vapour density		No information available	
Relative density ***			
Density	861	@ 15 °C	ISO 12185
Water solubility		Insoluble	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, kinematic ***	22 mm <sup>2</sup> /s	@ 40 °C	ISO 3104
Explosive properties	Not explosive***		
Oxidising properties	Not applicable***		
Possibility of hazardous reactions	No information available***		

#### **9.2. Other information**

Freezing point No information available

### **Section 10: STABILITY AND REACTIVITY**

#### **10.1. Reactivity**

## TECHNOL LAPIS HVI 22

**General Information** No information available.

### **10.2. Chemical stability**

**Stability** Stable under recommended storage conditions.

### **10.3. Possibility of hazardous reactions**

**Hazardous reactions** None under normal processing.

### **10.4. Conditions to Avoid**

**Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

### **10.5. Incompatible materials**

**Materials to avoid** Strong oxidising agents.

### **10.6. Hazardous Decomposition Products**

**Hazardous Decomposition Products** None under normal use. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

## **Section 11: TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

#### **Acute toxicity Local effects Product Information**

**Skin contact** . Not classified.  
**Eye contact** . Not classified.  
**Inhalation** . Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.  
**Ingestion** . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### **Acute toxicity - Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Alkyl phenol***	LD50 8697 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	

#### **Sensitisation**

**Sensitisation** Not classified as a sensitizer.

#### **Specific effects**

**Carcinogenicity** This product is not classified carcinogenic.  
**Mutagenicity** This product is not classified as mutagenic.

---

## TECHNOL LAPIS HVI 22

---

<b>Reproductive toxicity</b>	This product does not present any known or suspected reproductive hazards.
<b><u>Repeated Dose Toxicity</u></b>	
<b>Subchronic Toxicity</b>	No information available.
<b><u>Target Organ Effects (STOT)</u></b>	
<b>Target Organ Effects (STOT)</b>	No information available.
<b><u>Other information</u></b>	
<b>Other adverse effects</b>	Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).

### **Section 12: ECOLOGICAL INFORMATION**

#### **12.1. Toxicity**

Not classified.

##### **Acute aquatic toxicity - Product Information**

No information available.

##### **Acute aquatic toxicity - Component Information**

No information available.

##### **Chronic aquatic toxicity - Product Information**

No information available.

##### **Chronic aquatic toxicity - Component Information**

No information available.

##### **Effects on terrestrial organisms**

No information available.

#### **12.2. Persistence and Degradability**

##### **General Information**

No information available.

#### **12.3. Bioaccumulative potential**

##### **Product Information**

No information available.

##### **logPow**

No information available\*\*\*

##### **Component Information**

No information available.



---

## TECHNOL LAPIS HVI 22

---

### **12.4. Mobility in soil**

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	Insoluble. The product spreads on the surface of the water.

### **12.5. Results of PBT and vPvB assessment**

PBT and vPvB assessment	No information available.
-------------------------	---------------------------

### **12.6. Other adverse effects**

General Information	No information available.
---------------------	---------------------------

## **Section 13: DISPOSAL CONSIDERATIONS**

### **13.1. Waste treatment methods**

Waste from residues / unused products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	The following Waste Codes are only suggestions: 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

## **Section 14: TRANSPORT INFORMATION**

<b><u>ADR/RID</u></b>	not regulated
<b><u>IMDG/IMO</u></b>	not regulated
<b><u>ICAO/IATA</u></b>	not regulated
<b><u>ADN</u></b>	not regulated

## **Section 15: REGULATORY INFORMATION**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

## TECHNOL LAPIS HVI 22

88/379/EEC (Classification and Labelling):

Symbols:

Xn Harmful

R Phrases:

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

S Phrases:

S2 Keep out of reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin, wash immediately with plenty of... (to be specified by the manufacturer).

Special Provisions:

EC label.

Contents:

2,4,6-tris(dimethylaminomethyl)phenol

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

### Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H410 - Very toxic to aquatic life with long lasting effects\*\*\*

#### Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists bw

= body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

dw = dry weight

fw = fresh water



---

## TECHNOL LAPIS HVI 22

---

mw = marine water  
or = occasional release

### Legend Section 8

TWA: Time Weight Average

STEL: Short Time Exposure Limit

+ Sensitiser

\*\* Hazard Designation

M: Mutagen

\*

C:

R:

Skin designation

Carcinogen

Toxic to reproduction

### Revision Note

\*\*\* Indicates updated section.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

---

**This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.**

**End of Safety Data Sheet**