



## MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### TECHNOL POWER SAE 40

Date of the previous version: 2016-10-24

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### **1.1. Product identifier**

Product name                                    **TECHNOL POWER 40**  
Number  
Pure substance/mixture                        Mixture

##### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified uses                                 Motor oil.

##### **1.3. Details of the supplier of the safety data sheet**

Supplier                                         TECHNOİL LLC  
                                                          A. Racabli 33, Door 4 (Esra plaza)  
                                                          Azerbaijan, Baku  
                                                          Tel: +99412 404 40 44  
                                                          E-mail Address: info@technol.az

#### 2. HAZARDS IDENTIFICATION

##### **2.1. Classification of the substance or mixture**

**REGULATION (EC) No 1272/2008**

*For the full text of the H-Statements mentioned in this Section, see Section 2.2.*

**DIRECTIVE 67/548/EEC or 1999/45/EC**

*For the full text of the R-phrases mentioned in this Section, see Section 16*



## TECHNOL POWER SAE 40

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

### Classification

R52-53

### 2.2. Label elements

Labelled according to: Directive 1999/45/EC

#### R-phrases(s)

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### S-phrase(s)

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets

### 2.3. Other hazards

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC-No	REACH registration No:	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Zinc alkyl dithiophosphate	272-028-3	no data available	68649-42-3	<1.5	Xi;R38 Xi;R41 N;R51-53	
p-dodecylphenol	310-154-3	no data available	121158-58-5	<0.5	Xi;R38 Repr.Cat.3;R62 N;R50-53	

**Additional information** Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES




---

## TECHNOL POWER SAE 40

---

### **4.1. Description of first-aid measures**

<b>General advice</b>	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
<b>Eye contact</b>	Rinse thoroughly with plenty of water, also under the eyelids.
<b>Skin contact</b>	Remove contaminated clothing and shoes, Wash off with soap and water, Wash contaminated clothing before reuse
<b>Inhalation</b>	Move to fresh air
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

### **4.2. Most important symptoms and effects, both acute and delayed**

<b>Eye contact</b>	Not classified.
<b>Skin contact</b>	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
<b>Inhalation</b>	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### **4.3. Indication of immediate medical attention and special treatment needed, if necessary**

<b>Notes to physician</b>	Treat symptomatically
---------------------------	-----------------------

<b>5. FIRE-FIGHTING MEASURES</b>
----------------------------------

#### **5.1. Extinguishing media**

<b>Suitable Extinguishing Media</b>	Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog.
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter and spread fire

#### **5.2. Special hazards arising from the substance or mixture**

<b>Special Hazard</b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
-----------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



## TECHNOL POWER SAE 40

### **5.3. Advice for fire-fighters**

<b>Special protective equipment for fire-fighters</b>	Wear self-contained breathing apparatus and protective suit
<b>Other information</b>	Cool containers / tanks with water spray, Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations

## **6. ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

<b>General Information</b>	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
----------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### **6.2. Environmental precautions**

<b>General Information</b>	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
----------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### **6.3. Methods and materials for containment and cleaning up**

<b>Methods for cleaning up</b>	Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
--------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### **6.4. Reference to other sections**

<b>Personal Protective Equipment</b>	See Section 8 for more detail
<b>Waste treatment</b>	See section 13

## **7. HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

<b>Advice on safe handling</b>	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
<b>Prevention of fire and explosion</b>	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.



## TECHNOL POWER SAE 40

### Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

#### Materials to Avoid

Strong oxidizing agents.

### **7.3. Specific end uses**

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1. Control parameters**

#### Exposure limits

oil mist : 10mg/m<sup>3</sup>, for 15 minutes; oil mist : 5mg/m<sup>3</sup>, for 8 hours

#### Legend

See section 16

### **8.2. Exposure controls**

#### **Occupational Exposure Controls**

##### Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

##### Personal Protective Equipment

###### General Information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers, These recommendations apply to the product as supplied

## TECHNOL POWER SAE 40

<b>Respiratory protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 141). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
<b>Eye Protection</b>	If splashes are likely to occur, wear: Safety glasses with side-shields.
<b>Skin and body protection</b>	Wear suitable protective clothing. Protective shoes or boots. Do not wear rings, watches or anything similar which can retain the product and may give rise to skin conditions. Long sleeved clothing. Extended and repeated contacts with skin can cause skin ailments which may be aggravated by minor injuries or contact with soiled clothing.
<b>Hand Protection</b>	Hydrocarbon-proof gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

### Environmental exposure controls

**General Information** The product should not be allowed to enter drains, water courses or the soil

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Color		yellow To amber	
Physical State @20°C		liquid	
Odor		Characteristic	
<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH		Not applicable	
Boiling point/boiling range		Not applicable	
Flash point	>= 200 °C >= 392 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC).
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure @20°C (kPa)		No information available	
Vapor density		No information available	
Density	885 kg/m <sup>3</sup>	@ 15 °C	
Water solubility		Insoluble	



## TECHNOL POWER SAE 40

Solubility in other solvents		Soluble in many common organic solvents	
logPow		No information available	
Autoignition temperature		Not applicable	
Viscosity, kinematic	13.2 mm <sup>2</sup> /s	@ 100 °C	ISO 3104
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	Not applicable		

### **9.2. Other information**

## **10. STABILITY AND REACTIVITY**

### **10.1. Reactivity**

### **10.2. Chemical stability**

Stability Stable under recommended storage conditions

### **10.3. Possibility of hazardous reactions**

Hazardous Reactions None under normal processing

### **10.4. Conditions to Avoid**

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

### **10.5. Incompatible Materials**

Materials to Avoid Strong oxidizing agents.

### **10.6. Hazardous Decomposition Products**

Hazardous Decomposition Products None under normal use

## **11. TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

**Acute toxicity Local effects, Product Information**




---

## TECHNOL POWER SAE 40

---

<b>Skin contact</b>	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
<b>Eye contact</b>	Not classified.
<b>Inhalation</b>	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Acute toxicity Component Information

#### Sensitization

**Sensitization** Not classified as a sensitizer.

#### Specific effects

**Carcinogenicity** This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

**Mutagenicity** This product is not classified as mutagenic.

**Reproductive toxicity** This product does not contain any known or suspected reproductive hazards.

#### Repeated Dose Toxicity

**Subchronic toxicity** No information available.

#### Target Organ Effects (STOT)

**Target Organ Effects (STOT)** No information available.

#### Other information

**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

---

## **12. ECOLOGICAL INFORMATION**

---





## TECHNOL POWER SAE 40

### **12.1. Toxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### **Acute aquatic toxicity Product Information**

No information available.

#### **Acute aquatic toxicity Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Zinc alkyl dithiophosphate 68649-42-3		EC50 (48h) 1 - 1.5 mg/L Daphnia magna	LC50 (96h) 1.0-5.0 mg/L Pimephales promelas (static) LC50 (96h) 10.0-35.0 mg/L Pimephales promelas (semi-static)	

#### **Chronic aquatic toxicity Product Information**

No information available.

#### **Chronic aquatic toxicity Component Information**

No information available.

#### **Effects on terrestrial organisms**

No information available.

### **12.2. Persistence and degradability**

#### **General Information**

No information available

### **12.3. Bioaccumulative potential**

#### **Product Information**

No information available

#### **logPow**

No information available

#### **Component Information**

### **12.4. Mobility in soil**

#### **Soil**

Given its physical and chemical characteristics, the product generally shows low soil mobility.




---

## TECHNOL POWER SAE 40

---

<b>Air</b>	Loss by evaporation is limited.
<b>Water</b>	Insoluble. The product spreads on the surface of the water.

### **12.5. Results of PBT and vPvB assessment**

<b>PBT and vPvB assessment</b>	No information available.
--------------------------------	---------------------------

### **12.6. Other adverse effects**

<b>General Information</b>	No information available.
----------------------------	---------------------------

## **13. DISPOSAL CONSIDERATIONS**

### **13.1. Waste treatment methods**

<b>Waste from Residues / Unused Products</b>	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a used oil collection location. Incorrect disposal of used oil endangers the environment. Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden.
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal
<b>EWC Waste Disposal No.</b>	The following Waste Codes are only suggestions: 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

## **14. TRANSPORT INFORMATION**

<b><u>ADR/RID</u></b>	Not regulated
<b><u>IMDG/IMO</u></b>	Not regulated
<b><u>ICAO/IATA</u></b>	Not regulated
<b><u>ADN</u></b>	Not regulated



## TECHNOL POWER SAE 40

### 15. REGULATORY INFORMATION

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **European Union**

##### **International Inventories**

EINECS/ELINCS	-
TSCA	-
DSL	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-
NZIoC	-

##### **Legend**

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances

List **ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical

Substances **AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

##### **Further information**

#### **15.2. Chemical Safety Assessment**

Chemical Safety Assessment                      No information available

### 16. OTHER INFORMATION

#### **Full text of R-phrases referred to under sections 2 and 3**

R38 - Irritating to skin

R41 - Risk of serious damage to eyes

R62 - Possible risk of impaired fertility

---

## TECHNOL POWER SAE 40

---

88/379/EEC (Classification and Labelling):

Symbols:

Xn Harmful

R Phrases:

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

S Phrases:

S2 Keep out of reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin, wash immediately with plenty of... (to be specified by the manufacturer).

Special Provisions:

EC label.

Contents:

2,4,6-tris(dimethylaminomethyl)phenol

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

---

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R50/53 -

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R52/53 -

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### Abbreviations, acronyms

Legend Section 8

+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

### Revision Note

\*\*\* Indicates updated section

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

---

**This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.**

End of the safety data sheet