



**MATERIAL SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**TECHNOL HYBRID  
5W-30**

Date of the previous version: 2016-10-22

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name                      TECHNOL HYBRID 5W-30  
Number  
Pure substance/mixture              Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified uses                      Motor oil.

**1.3. Details of the supplier of the safety data sheet**

Supplier                      TECHNOİL LLC  
A.    Racabli 33, Door 4 (Esra plaza)  
Azerbaijan, Baku  
Tel: +99412 404 40 44  
E-mail Address: info@technol.az

**2. HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

REGULATION (EC) No 1272/2008

*For the full text of the H-Statements mentioned in this Section, see Section 2.2.*

DIRECTIVE 67/548/EEC or 1999/45/EC

*For the full text of the R-phrases mentioned in this Section, see Section 16*

## TECHNOL HYBRID 5W-30

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

### Classification

R52-53

### 2.2. Label elements

Labelled according to: Directive 1999/45/EC

### Hazard pictograms

none

### R-phrases(s)

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### S-phrases(s)

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets

### 2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture

Chemical Name	EC-No	REACH registration No:	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	283-392-8	01-2119493626-26	84605-29-8	<1.5	Xi;R38-41 N;R51-53	Aquatic Chronic 2 (H411) Eye Dam. 1 (H318) Skin Irrit. 2 (H315)
Phenol, dodecyl-, branched	310-154-3	01-2119513207-49	121158-58-5	<0.5	Xi;R36/38 N;R50-53 Repr.Cat.3;R62	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Eye Irrit. 2 (H319) Repr. 2 (H361) Skin Irrit. 2 (H315)

## TECHNOL HYBRID 5W-30

Diphenylamine	204-539-4	no data available	122-39-4	<0.5	T; R23/24/25 R33 N; R50 R53	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
---------------	-----------	-------------------	----------	------	-----------------------------------	---

**Additional information**

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16  
For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.
Inhalation	Move to fresh air
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified.
Skin contacts	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically
--------------------	-----------------------

## TECHNOL HYBRID 5W-30

### 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

**Suitable Extinguishing Media** Carbon dioxide (CO<sub>2</sub>). ABC powder. Foam. Water spray or fog.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire

#### 5.2. Special hazards arising from the substance or mixture

**Special Hazard** Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

#### 5.3. Advice for fire-fighters

**Special protective equipment for fire-fighters** Wear self-contained breathing apparatus and protective suit

**Other information** Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment, and emergency procedures

**General Information** Do not touch or walk-through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

#### 6.2. Environmental precautions

**General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and materials for containment and cleaning up

**Methods for cleaning up** Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

**Personal Protective Equipment** See Section 8 for more detail

## TECHNOL HYBRID 5W-30

Waste treatment See section 13

### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
Materials to Avoid	Strong oxidizing agents.

#### 7.3. Specific end uses

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Exposure limits	oil mist: 10mg/m <sup>3</sup> , for 15 minutes oil mist: 5mg/m <sup>3</sup> , for 8 hours
Legend	See section 16



## TECHNOL HYBRID 5W-30

### 8.2. Exposure controls

#### Occupational Exposure Controls

##### Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

##### Personal Protective Equipment

###### General Information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

###### Respiratory protection

When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 141). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

###### Eye Protection

If splashes are likely to occur, wear. Safety glasses with side-shields.

###### Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

###### Hand Protection

Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

#### Environmental exposure controls

##### General Information

The product should not be allowed to enter drains, water courses or the soil

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Color	brown
Physical State @20°C	liquid
Odor	Characteristic

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH		Not applicable	
Boiling point/boiling range		No information available	

## TECHNOL HYBRID 5W-30

Flash point	228 °C 442 °F		ASTM D92 ASTM D92.
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure		No information available	
Vapor density		No information available	
Density	849 kg/m <sup>3</sup>	@ 15°C	
Water solubility		Insoluble	
Solubility in other solvents		Soluble in many common organic solvents	
logPow		No information available	
Autoignition temperature		No information available	
Viscosity, kinematic	72.6 mm <sup>2</sup> /s 12.2 mm <sup>2</sup> /s	@ 40°C @ 100°C	ASTM E 659-78 ISO 3104 ISO 3104
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	Not applicable		

### 9.2. Other information

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

Stability Stable under recommended storage conditions

### 10.3. Possibility of hazardous reactions

Hazardous Reactions None under normal processing

### 10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

### 10.5. Incompatible Materials



## TECHNOL HYBRID 5W-30

**Materials to Avoid** Strong oxidizing agents.

### 10.6. Hazardous Decomposition Products

**Hazardous Decomposition Products** None under normal use

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

**Skin contact** Not classified.

**Eye contact** Not classified.

**Inhalation** Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Ingestion** Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Acute toxicity Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	= 2000 mg/kg ( Rat )	> 3200 mg/kg ( Rabbit )	
Diphenylamine	= 1165 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	

#### Sensitization

**Sensitization** Not classified as a sensitizer.

#### Specific effects

**Carcinogenicity** This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

**Mutagenicity** This product is not classified as mutagenic.



# Technol

## TECHNOL HYBRID 5W-30

**Reproductive toxicity** This product does not contain any known or suspected reproductive hazards.

### Repeated Dose Toxicity

**Subchronic toxicity** No information available.

### Target Organ Effects (STOT)

**Target Organ Effects (STOT)** No information available.

### Other information

**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Acute aquatic toxicity Product Information

No information available.

#### Acute aquatic toxicity Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8		EC50 (48h) 0.1 - 1 mg/L Daphnia magna	LC50 (96h) 10-100 mg/L Pimephales promelas (static) LC50 (96h) > 100 mg/L Pimephales promelas (semi-static)	
Diphenylamine 122-39-4	EC50 (72h) = 1.5 mg/l Scenedesmus subspicatus	EC50 (48h) 1.69 - 2.46 mg/L Daphnia magna	LC50 (96h) 3.47-4.14 mg/L Pimephales promelas (flow-through)	EC50 = 4.77 mg/L 30 min EC50 = 2.81 mg/L 5 min EC50 = 3.46 mg/L 15 min

#### Chronic aquatic toxicity Product Information

No information available.

#### Chronic aquatic toxicity Component Information

No information available.

#### Effects on terrestrial organisms

No information available.

## TECHNOL HYBRID 5W-30

### 12.2. Persistence and degradability

#### General Information

No information available

### 12.3. Bioaccumulative potential

#### Product Information

No information available

#### logPow

No information available

#### Component Information

Chemical Name	log Pow
Phenol, dodecyl-, branched - 121158-58-5	7.1
Diphenylamine - 122-39-4	3.5

### 12.4. Mobility in soil

#### Soil

Given its physical and chemical characteristics, the product generally shows low soil mobility.

#### Air

Loss by evaporation is limited.

#### Water

Insoluble. The product spreads on the surface of the water.

### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

No information available.

### 12.6. Other adverse effects

#### General Information

No information available.

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues / Unused Products

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.



## TECHNOL HYBRID 5W-30

<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal
<b>EWC Waste Disposal No.</b>	The following Waste Codes are only suggestions: 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

### 14. TRANSPORT INFORMATION

<b><u>ADR/RID</u></b>	Not regulated
<b><u>IMDG/IMO</u></b>	Not regulated
<b><u>ICAO/IATA</u></b>	Not regulated
<b><u>ADN</u></b>	Not regulated

### 15. REGULATORY INFORMATION

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **European Union**

##### **International Inventories**

EINECS/ELINCS	-
TSCA	-
DSL	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-
NZIoC	-

##### **Legend**

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

## TECHNOL HYBRID 5W-30

**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

### Further information

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment      No information available

## 16. OTHER INFORMATION

### Full text of R-phrases referred to under sections 2 and 3

R38 - Irritating to skin  
 R41 - Risk of serious damage to eyes  
 R62 - Possible risk of impaired fertility  
 R33 - Danger of cumulative effects  
 R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment  
 R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment  
 R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed  
 R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment  
 R36/38 - Irritating to eyes and skin

### Full text of H-Statements referred to under section 2 and 3

H301 - Toxic if swallowed  
 H311 - Toxic in contact with skin  
 H315 - Causes skin irritation  
 H318 - Causes serious eye damage  
 H319 - Causes serious eye irritation  
 H331 - Toxic if inhaled  
 H361f - Suspected of damaging fertility  
 H373 - May cause damage to organs through prolonged or repeated exposure  
 H400 - Very toxic to aquatic life  
 H410 - Very toxic to aquatic life with long lasting effects  
 H411 - Toxic to aquatic life with long lasting effects

### Abbreviations, acronyms

#### Legend Section 8

+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

---

## TECHNOL HYBRID 5W-30

---

88/379/EEC (Classification and Labelling):

Symbols:

Xn Harmful

R Phrases:

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

S Phrases:

S2 Keep out of reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin, wash immediately with plenty of... (to be specified by the manufacturer).

Special Provisions:

EC label.

Contents:

2,4,6-tris(dimethylaminomethyl)phenol

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

---

### Revision Note

\*\*\* Indicates updated section

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

---

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet