



MATERIAL SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

**TECHNOL TRANSMISSION
80W90**

Revision Date: 2016-11-24

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name TECHNOL TRANSMISSION 80W90
Number
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Supplier TECHNOIL LLC
 A. Racabli 33, Door 4 (Esra plaza)
 Azerbaijan, Baku
 Tel: +99412 404 40 44
 E-mail Address: info@technol.az

Identified uses Transmission fluid.

1.3. Details of the supplier of the safety data sheet

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

TECHNOLTRANSMISSION 80W90

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 1999/45/EC

Symbol(s)

Not Classified

2.2. Label elements

Labelled according to: Directive 1999/45/EC

R-phrase(s)

none

S-phrase(s)

none

Contains Phosphoric acid esters, amine salt, alkenylamine, Substituted thiadiazole. May produce an allergic reaction.

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Mixtures

Chemical Name	EC-No	REACH registration No:	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Phosphoric acid esters, amine salt	294-716-2	no data available	91745-46-9	<1.5	Xn;R22 Xi;R41 R43 N;R51-53	
alkenylamine	204-015-5	no data available	112-90-3	<0.5	Xn;R22 C;R34 R43 N;R50	

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16

For the full text of the H-Statements mentioned in this Section, see Section 16.

TECHNOLTRANSMISSION 80W90

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes, Wash off with soap and water, Wash contaminated clothing before reuse
Inhalation	Move to fresh air
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified.
Skin contact	May produce an allergic reaction.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically
--------------------	-----------------------

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Carbon dioxide (CO ₂). ABC powder. Foam. Water spray or fog.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire

5.2. Special hazards arising from the substance or mixture

Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Combustion products include sulphur oxides (SO ₂ and SO ₃) and Hydrogen sulphide H ₂ S. Mercaptans.
----------------	---

5.3. Advice for fire-fighters

TECHNOLTRANSMISSION 80W90

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit

Other information

Cool containers / tanks with water spray, Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information

Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

6.2. Environmental precautions

General Information

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Personal Protective Equipment

See Section 8 for more detail

Waste treatment

See section 13

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

Prevention of fire and explosion

Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.

Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

TECHNOLTRANSMISSION 80W90

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid

Strong oxidizing agents.

7.3. Specific end uses

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

oil mist : 10mg/m³, for 15 minutes oil mist : 5mg/m³, for 8 hours

Legend

See section 16

8.2. Exposure controls

Occupational Exposure Controls

Engineering Measures

Apply technical measures to comply with the occupational exposure limits, When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment

Personal Protective Equipment

General Information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers, These recommendations apply to the product as supplied

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 141). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

Eye Protection

If splashes are likely to occur, wear:, Safety glasses with side-shields

Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

TECHNOLTRANSMISSION 80W90

Hand Protection

Hydrocarbon-proof gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance		limpid	
Color		light brown To dark brown	
Color code		3.5-6.5	
Physical State @20°C		liquid	
Odor		Characteristic Oily	
<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH		Not applicable	
Boiling point/boiling range		Not applicable	
Flash point	> 219 °C		
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure @20°C (kPa)		No information available	
Vapor density		No information available	
Density	897 kg/m ³	@ 15 °C	
Water solubility		Insoluble	
Solubility in other solvents		Soluble in many common organic solvents	
logPow		No information available	
Autoignition temperature		No information available	
Viscosity, kinematic	14.4-15.2 mm ² /s	@ 100 °C	ISO 3104
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	Not applicable		

9.2. Other information

Pour point	-32 °C	ISO 3016
------------	--------	----------

10. STABILITY AND REACTIVITY

TECHNOLTRANSMISSION 80W90

10.1. Reactivity

10.2. Chemical stability

Stability Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Hazardous Reactions None under normal processing

10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects, Product Information

Skin contact May produce an allergic reaction.

Eye contact Not classified.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Acute toxicity Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phosphoric acid esters, amine salt	> 10000 mg/kg (Rat)		

Sensitization

Sensitization Not classified as a sensitizer. The supplier of one of the components contained within this formulation has indicated that they have data, which confirms that at the concentration used, no sensitisation classification is required . Contains sensitizer(s). May produce an allergic reaction.

TECHNOLTRANSMISSION 80W90

Specific effects

Carcinogenicity	This product is not classified carcinogenic.
Mutagenicity	This product is not classified as mutagenic.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.

Repeated Dose Toxicity

Subchronic toxicity	No information available.
----------------------------	---------------------------

Target Organ Effects (STOT)

Target Organ Effects (STOT)	No information available.
------------------------------------	---------------------------

Other information

Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).
------------------------------	--

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity Product Information

No information available.

Acute aquatic toxicity Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Phosphoric acid esters, amine salt 91745-46-9		-	LC50 (96h) 16-26 mg/L Pimephales promelas (semi-static)	

Chronic aquatic toxicity Product Information

No information available.

Chronic aquatic toxicity Component Information

No information available.

Effects on terrestrial organisms

No information available.

TECHNOLTRANSMISSION 80W90

12.2. Persistence and degradability

General Information

No information available

12.3. Bioaccumulative potential

Product Information

No information available

logPow

No information available.

Component Information

12.4. Mobility in soil

Soil

Given its physical and chemical characteristics, the product generally shows low soil mobility.

Air

Loss by evaporation is limited.

Water

Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

12.6. Other adverse effects

General Information

No information available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products

Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a used oil collection location. Incorrect disposal of used oil endangers the environment. Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal

EWC Waste Disposal No.

The following Waste Codes are only suggestions: 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

14. TRANSPORT INFORMATION

TECHNOLTRANSMISSION 80W90

88/379/EEC (Classification and Labelling):

Symbols:

Xn Harmful

R Phrases:

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

S Phrases:

S2 Keep out of reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin, wash immediately with plenty of WATER

EC label.

Contents:

2,4,6-tris(dimethylaminomethyl)phenol

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories

EINECS/ELINCS	-
TSCA	-
DSL	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-
NZIoC	-

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances **TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances

List **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical

Substances **AICS** - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TECHNOLTRANSMISSION 80W90

Full text of R-phrases referred to under sections 2 and 3

R43 - May cause sensitization by skin contact

R41 - Risk of serious damage to eyes

R22 - Harmful if swallowed

R34 - Causes burns

R50 - Very toxic to aquatic organisms

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Abbreviations, acronyms**Legend Section 8**

+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet