

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

TECHNOL GOLD 10W-40

Date of the previous version: 2016-10-22

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

 Product name
 TECHNOL GOLD 10W40

 Number
 Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Motor oil.

1.3. Details of the supplier of the safety data sheet

Supplier

TECHNOİL LLC A. Racabli 33, Door 4 (Esra plaza) Azerbaijan, Baku Tel: +99412 404 40 44 E-mail Address: info@technol.az

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008 Serious eye damage/eye irritation - Category 2 - (H319)



DIRECTIVE 67/548/EEC or 1999/45/EC

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

Symbol(s) Not classified

2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008



Signal Word WARNING

Hazard Statements H319 - Causes serious eye irritation

Precautionary statements P280 - Wear eye protection/ face protection

Contains Calcium long chain alkaryl sulfonate May produce an allergic reaction

2.3. Other hazards

Physical-Chemical PropertiesContaminated surfaces will be extremely slippery.Environmental propertiesShould not be released into the environment.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

Hazardous components

Chemical Name	EC-No	REACH	CAS-No	Weight %	Classification (Dir.	GHS Classification
		Registration			67/548)	
		Number				
Distillates (petroleum),	265-157-1	01-2119484627-25	64742-54-7	<25	-	Asp. Tox. 1 (H304)
hydrotreated heavy paraffinic						
Distillates (petroleum),	265-158-7	01-2119487077-29	64742-55-8	<15	-	Asp. Tox. 1 (H304)
hydrotreated light paraffinic						



Polyolefin polyamine succinimide, polyol	-	no data available	٨	<5	R53	Aquatic Chronic 4 (H413)
Zinc alkyldithiophosphate	272-028-3	no data available	68649-42-3	<1.5	Xi;R41 N;R51-53	Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)
Calcium long chain alkarylsulphonate	-	-	722503-69-7	<1.5	R53	Aquatic Chronic 4 (H413)
Calcium long chain alkaryl sulfonate	-	-	722503-68-6	<0.5	Xi;R43 R53	Aquatic Chronic 4 (H413) Skin Sens.1 (H317)

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.
4.2. Most important symptom	ns and effects, both acute and delayed

Eye contact	Causes serious eye irritation.
Skin contact	Not classified. May produce an allergic reaction.
Inhalation	Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media



Suitable extinguishing media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
5.2. Special hazards arising	irom the substance or mixture

Special hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as
	carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may
	be highly dangerous if inhaled in confined spaces or at high concentration.

5.3. Precautions for fire-fighters

Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

 General Information
 Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

6.2. Environmental precautions

General InformationDo not allow material to contaminate ground water system. Try to prevent the material from
entering drains or water courses. Local authorities should be advised if significant spillages
cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning upDam up. Contain spillage, and then collect with non-combustable absorbent material, (e.g.
sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according
to local / national regulations (see section 13). Keep in suitable, closed containers for
disposal.

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling



When using, do not eat, drink or smoke. For personal protection see section 8. Use only ir well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.
Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.
Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
Materials to avoid	Strong oxidising agents.

7.3. Specific use(s)

Specific use(s)

No information available.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres

 Exposure limits
 Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined)

 Legend
 See section 16

DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7				5.4 mg/m ³ /8h (aerosol - inhalation)
Distillates (petroleum), hydrotreated light paraffinic 64742-55-8				5.4 mg/m ³ /8h (aerosol - inhalation)

DNEL Consumer



Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7				1.2 mg/m ³ /24h (aerosol - inhalation)
Distillates (petroleum), hydrotreated light paraffinic 64742-55-8				1.2 mg/m ³ /24h (aerosol - inhalation)

8.2. Exposure controls

Occupational Exposure Controls Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Personal protective equipment **General Information** If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied. **Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P2. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses. Eye protection If splashes are likely to occur, wear:. Safety glasses with side-shields. Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Hand protection Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colour Physical state @20°C Clear yellow Liquid



Odour		No information available	
<u>Property</u> Ph	<u>Values</u>	<u>Remarks</u> Not applicable	Method
Boiling point/boiling range		Not applicable	
Flash point	232 °C 449.6 °F		Open cup Open cup
Evapouration rate Flammability Limits in Air		No information available No information available	
Vapour pressure		No information available	
Vapour density		No information available	
Density	872.6 kg/m ³	@ 15 °C	
Water solubility		Insoluble	
Solubility in other solvents		No information available	
		No information available	
Autoignition temperature	$0.1.21 \text{ mm}^{2}/_{2}$	Not applicable	150 3104
Viscosity, kinematic	94.31 mm2/s 13.93 mm2/s	@ 40 °C @ 100 °C	ISO 3104 ISO 3104
Explosive properties	Not explosive		100 0104
Oxidising properties	Not applicable		
Possibility of hazardous reactions	Not applicable		
No information available			
Section 10: STABILITY AND	REACTIVITY		
<u>10.1. Reactivity</u>			
General Information	No information availa	ble.	
General Information 10.2. Chemical stability	No information availa	ble.	
		ble. nended storage conditions.	
10.2. Chemical stability	Stable under recomm		
10.2. Chemical stability Stability	Stable under recomm	nended storage conditions.	
10.2. Chemical stability Stability 10.3. Possibility of hazardou	Stable under recomm	nended storage conditions.	
10.2. Chemical stability Stability 10.3. Possibility of hazardou Hazardous reactions	Stable under recomm <u>Is reactions</u> None under normal p	nended storage conditions.	ints, flames, static electricity.
10.2. Chemical stability Stability 10.3. Possibility of hazardou Hazardous reactions 10.4. Conditions to Avoid	Stable under recomm Is reactions None under normal p Heat (temperatures a	nended storage conditions. Processing.	ints, flames, static electricity.
10.2. Chemical stability Stability 10.3. Possibility of hazardou Hazardous reactions 10.4. Conditions to Avoid Conditions to Avoid	Stable under recomm Is reactions None under normal p Heat (temperatures a	nended storage conditions. rocessing. bove flash point), sparks, ignition po	ints, flames, static electricity.
10.2. Chemical stability Stability 10.3. Possibility of hazardou Hazardous reactions 10.4. Conditions to Avoid Conditions to Avoid 10.5. Incompatible materials	Stable under recomm is reactions None under normal p Heat (temperatures a s Strong oxidising ager	nended storage conditions. rocessing. bove flash point), sparks, ignition po	ints, flames, static electricity.

10.6. Hazardous Decomposition Products



Hazardous Decomposition Products None under normal use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact	. Not classified. May produce an allergic reaction.
Eye contact	. Causes serious eye irritation.
Inhalation	. Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated heavy	LD50 > 5000 mg/kg bw (rat -	LD50 > 5000 mg/kg bw (rabbit -	LC50 (4h) > 5 mg/l (aerosol) (rat -
paraffinic	OECD 420)	OECD 402)	OECD 403)
Distillates (petroleum), hydrotreated light	LD50 > 5000 mg/kg bw (rat -	LD50 > 5000 mg/kg bw (rabbit -	LC50 (4h) > 5 mg/l (aerosol) (rat -
paraffinic	OECD 420)	OECD 402)	OECD 403)
Zinc alkyldithiophosphate	LD50 2900 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	

Sensitisation

Sensitisation

Not classified as a sensitizer. Contains senitizer(s).

Specific effects

Carcinogenicity

This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

Chemical Name		European Union
Distillates (petroleum), hydrotreated heavy paraffinic		
64742-54-7		
Distillates (petroleum), hyd 64742-		-
Mutagenicity	This product is not classified	as mutagenic.
Reproductive toxicity	This product does not prese	nt any known or suspected reproductive hazards.
Repeated Dose Toxicity		
Subchronic Toxicity	No information available.	
Target Organ Effects (STOT)		



Target Organ Effects (STOT)	No information available.
Other information	
Other adverse effects	Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	EL50 (48h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	
Distillates (petroleum), hydrotreated light paraffinic 64742-55-8	EL50 (72h) > 100 mg/l (Pseudokirchneriella subcapitata - OCDE 201)	EL50 (48h) > 10000 mg/L (Daphnia magna - OCDE 202)	LL50 (96h) > 100 mg/L (Oncorhynchus mykiss - OCDE 203)	
Zinc alkyldithiophosphate 68649-42-3	EC50 (72h) 2.2 mg/l	EC50 (48h) 1.2 mg/l (Daphnia magna)	LC50 (96h) 4.5 mg/l	

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7		NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
Distillates (petroleum), hydrotreated light paraffinic 64742-55-8		NOEL (21d) 10 mg/l (Daphnia magna - OCDE 211)	NOEL (14/28d) >1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
Zinc alkyldithiophosphate 68649-42-3	NOEC 1.0 mg/l	NOEC (21d) 0.4 mg/l (Daphnia magna)	NOEC(28d) 1.8 mg/l	

Effects on terrestrial organisms

No information available.



12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information

No information available.

LogPow

No information available

Component Information

Chemical Name	log Pow
Distillates (petroleum), hydrotreated heavy paraffinic - 64742-54-7	-
Zinc alkyldithiophosphate - 68649-42-3	0.56

12.4. Mobility in soil

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.



Section 14: TRANSPORT INFORMATION		
ADR/RID	not regulated	
IMDG/IMO	not regulated	
ICAO/IATA	not regulated	
ADN	not regulated	

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

88/379/EEC (Classification and Labelling):
Symbols:
Xn Harmful
R Phrases:
R22 Harmful if swallowed.
R36/38 Irritating to eyes and skin.
S Phrases:
S2 Keep out of reach of children.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28 After contact with skin, wash immediately with plenty of... (to be specified by the manufacturer).
Special Provisions:
EC label.
Contents:
2,4,6-tris(dimethylaminomethyl)phenol

Where applicable, refer to the following regulatory provisions : Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

Section 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R41 - Risk of serious damage to eyes

R43 - May cause sensitisation by skin contact

R53 - May cause long-term adverse effects in the aquatic environment



R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under sections 2 and 3

- H304 May be fatal if swallowed and enters airways
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H411 Toxic to aquatic life with long lasting effects
- H413 May cause long lasting harmful effects to aquatic life

Abbreviations, acronyms

Legend Sect	tion 8		
TWA: Time \	Neight Average		
STEL: Short	Time Exposure Limit		
+	Sensitiser	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Note

*** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet